

# ***Multi-Tac Inc.***

Phone (905) 791 0502 Fax (905) 791 0524

105 Nuggett Court, Brampton, ON, L6T 5A9 Canada

## Pressure Sensitive Label Guide

[www.multi-tac.com](http://www.multi-tac.com)

Multi-Tac Inc. has been a leading producer of quality pressure sensitive adhesive products since 1989. Based out of Brampton, Ontario Canada, Multi-Tac Inc. continues to extensively service North America, South America and Europe for custom pressure sensitive adhesive products in roll and sheet format. Our markets include transportation, industrial, graphic arts and flexible packaging.

Multi-Tac Inc. is pleased to stock the listed specialty pressure sensitive items below. All products are standard items and are commonly inventoried at our facility. All products listed are in roll format, but are available in custom sheet sizes as well.

### **Roll & Slitting Information**

- All products are wound face stock out
- Tolerance of +/- 10% on requested roll lengths
- Custom roll lengths are encouraged but not less than standard roll lengths as stated
- Core sizes – all products are offered on 3.00" or 6.00" cores, 3/8" thick wall cores
- All splices will be flagged and stamped
- Roll width tolerance of +/- 1/32"
- \*\***All quotations INCLUDE slitting**

### **Shipping Information**

- Rolls can be shipping stacked or cradle packaged

### **Release Liner Guide**

For roll label products: 40# SCK, 50# SCK (easy and med. release), 57# StayFlat,  
65# PCK, 1.5 mil Clear Polyester

For sheet label products: 57# StayFlat, 65# PCK, 78#DK, 90# PCK

For tape products: 50# C2S, 60# C2S, 74# C2S, 80# C2S (all offered as differentials as well)

### **How to order:**

By phone: (905) 791 0502

By fax: (905) 791 0524

By email: [info@multi-tac.com](mailto:info@multi-tac.com)

# Multi-Tac Inc.

## Pressure Sensitive Label Guide

www.multi-tac.com

ITEM	ITEM CODE	DESCRIPTION	WEB WIDTH	ROLL LENGTH
------	-----------	-------------	-----------	-------------

### Specialty Paper Stocks

<b>Thermal Transfer Reinforced Label Removable</b>	TT1140RE40A-LTV 3610	40# Thermal transfer paper stock permanently laminated to a 1.0 mil clear PET film for added durability. This item is available on 40# SCK liner and LTV 3610 removable adhesive. Commonly used as a glass/window label.	39.00"	2500', 5000'
<b>Thermal Transfer Reinforced Label Permanent</b>	TT1140RE40A-GP450	Same construction as above label but with a GP-450 general purpose acrylic adhesive.	39.00"	3000'
<b>Thermal Transfer Piggyback Label</b>	TTPB40A40CC2S-GP450/GP450	40# Thermal transfer paper face stock coated with permanent adhesive and a 40# SCK liner. This item is piggybacked onto a 40# C2S liner with permanent acrylic adhesive.	39.00"	3000'
<b>Gloss Litho Piggyback Label</b>	GLPB40A40CC2S-GP450/GP450	The same label construction as our thermal transfer piggy back but used a 60# Gloss Litho paper face stock.	52.00"	2500'
<b>50# EDP/50# Stay Flat Liner Label</b>	EDP5050E-GP450	50# EDP paper face stock coated with a general purpose permanent acrylic adhesive. This item is on a 50# Clay Coated Stay Flat liner for excellent sheeting and feeding characteristics.	54.00"/60.00"	5000'
<b>50# EDP/50# Stay Flat Liner Label MULTI-GREEN™</b>	EDP5050E-MultiGreen	50# EDP paper face stock coated with a recyclable environmentally benign MultiGreen™ adhesive. Common applications for this adhesive include self-adhesive postage stamps. This item is on a 50# Clay Coated Stay Flat liner for excellent sheeting and feeding characteristics.	60.00"	5000'
<b>Thermal Transfer TIRE Label</b>	TT114050A-TIRE	40# Thermal transfer paper face stock coated with a permanent heavy coat weight acrylic adhesive on a 50# SCK liner. This label is suitable for all tire and rubber labels.	39.00"	3000'
<b>Direct Thermal TC Reinforced Label</b>	ABT-TC-40A-AT600	A 50# top coated direct thermal paper face stock permanently laminated to a 1.6 mil BOPP film for added strength. This item comes on a 40# SCK liner and AT-600 all-temp permanent acrylic adhesive. Common uses for this label include bus tickets and airline baggage tags.	39.00"/52.00"/60.00"	5000'
<b>Direct Thermal NTC Reinforced Label</b>	ABT-NTC-40A-AT600	Same construction as above label but with a non-top coated 50# direct thermal paper face stock.	39.00"/52.00"/60.00"	5000'

# Multi-Tac Inc.

## Pressure Sensitive Label Guide

[www.multi-tac.com](http://www.multi-tac.com)

ITEM	ITEM CODE	DESCRIPTION	WEB WIDTH	ROLL LENGTH
------	-----------	-------------	-----------	-------------

### Specialty Paper Stocks *cont'*

<b>MultiFlourescents</b>	FL16040A-GP450	MultiFlourescent face stocks are available in chartreuse, green, red and orange. All products are on a 40# SCK liner and are available on a GP-450 permanent adhesive or AT-600 All Temp permanent adhesive.	39.00"	3000'
<b>FSC<sup>®</sup>Grade Labels</b>	Various	Multi-Tac is pleased to offer FSC <sup>®</sup> grade labels that contain up to 50% recycled and 25% post consumer waste. When used with our MultiGreen <sup>™</sup> recyclable adhesive, Multi-Tac offers the ultimate environmentally conscious label.	Various	Various

### Prime/Specialty Film Label Material

<b>2.0 mil Clear BOPP TC</b>	TC23240A-AT600	A 2.0 mil top coated clear polypropylene on a 40# SCK liner and an AT-600 all-temp permanent adhesive.	39.00"	3000'
<b>2.3 mil White Polypropylene TC</b>	TC13240A-AT600	A 2.3 mil top coated white polypropylene label stock on a 40# SCK liner and an AT-600 all-temp permanent adhesive. Similar grade to Label- Lyte.	39.00"	3000'
<b>3.0 mil Matte White Polypropylene</b>	M13350A-AT600	A 3.0 mil matte white polypropylene label stock suitable for thermal transfer and flexo printing on a 50# SCK liner and a AT-600 all-temp permanent adhesive. Also commonly available on a 50# Stay Flat, 65# Poly Coated and 78# Clay Coated liner.	54.00"/60.00"	5000'
<b>2.0 mil Clear PET Label Stock</b>	22140A-GP450	A 2.0 mil clear polyester film on a 40# SCK liner with a GP-450 general purpose acrylic adhesive. An ideal choice for overlamine stock.	27.00"	3000'
<b>2.0 mil Matte Silver Polyester</b>	M32250A-GP450	A 2.0 mil matte metallized polyester film gloss coated on a 50# SCK liner with a GP-450 general purpose acrylic adhesive.	54.00"	5000'

# Multi-Tac Inc.

## Pressure Sensitive Label Guide

www.multi-tac.com

ITEM	ITEM CODE	DESCRIPTION	WEB WIDTH	ROLL LENGTH
------	-----------	-------------	-----------	-------------

### Prime/Specialty Film Label Materials *cont'*

<b>2.0 mil Silver Void Polyester</b>	V32250A-GP450	2.0 mil bright silver metallized polyester film gloss coated on a 50# SCK liner and a GP-450 general purpose acrylic adhesive. Commonly used in security label applications where tamper evidence is necessary.	27.00"	3000'
<b>2.0 mil White Void Polyester.</b>	V12250A-GP450	Same description as above, albeit on a 2.0 mil white polyester film.	27.00"	3000'
<b>2.0 mil Matte Silver Polyester CP</b>	CP32250A-GP450	2.0 mil matte silver metallized polyester film on a 50# SCK liner and a GP-450 general purpose acrylic adhesive. This film is top coated for laser sheet applications.	27.00"	3000'
<b>2.0 mil White Polyester CP</b>	CP12250A-GP450	Same description as above, albeit on a 2.0 mil white polyester film.	54.00"	3000'
<b>1.0 Magic Film Label</b>	MG22140A-GP450	1.0 mil clear polyester film used for coupon stock where facestocks are removed to leave no adhesive residue. The product is on a 40# SCK liner and has a general purpose acrylic adhesive.	26.00"	3000'
<b>3.5 White Vinyl TCI</b>	TC14450A-GP450	3.5 mil top-coated white vinyl on a 50# SCK liner and a GP-450 general purpose acrylic adhesive. This item is also available on a 78# clay coated release liner.	54.00"	5000'
<b>3.5 White Vinyl TC TIRE</b>	TC14450A-TIRE	3.5 mil top-coated white vinyl on a 50# SCK liner and an aggressive heavy coat weight TIRE adhesive.	27.00"/54.00"	5000'
<b>3.5 White Vinyl TC DRUM</b>	TC14450A-DRUM	3.5 mil top-coated white vinyl on a 50# SCK liner and an aggressive heavy coat weight DRUM adhesive. This adhesive meets the British Standards (BS 5609) Marine Test for drum adhesion.	27.00"/54.00"	5000'
<b>Shelfmark Vinyl</b>	TC14390-LTV 3610	3.0 mil top-coated white vinyl on a 90# PCK liner with a LTV 3610 removable adhesive. This item is commonly used as a label in retail shelfmark applications.	54.00"	5000'

# Multi-Tac Inc.

## Pressure Sensitive Label Guide

www.multi-tac.com

ITEM	ITEM CODE	DESCRIPTION	WEB WIDTH	ROLL LENGTH
------	-----------	-------------	-----------	-------------

### Prime/Specialty Film Label Material *cont'*

<b>SP700 Teslin™</b>	15750ESF-GP450	PPG Industries SP700 on a 50# Stay Flat liner with a GP-450 general purpose acrylic adhesive. This item is commonly used for durable bar-coding applications. This product has excellent water resistance and is made to last.	56.00"/60.00"	3000', 6000'
<b>SP1000 Teslin™</b>	151078D-GP450	Same description as above, albeit on using PPG Industries SP1000 face material and a 78# Clay Coated release liner.	56.00"/60.00"	3000', 6000'
<b>Fruit &amp; Vegetable Tag Thermal</b>	FruitTac-Thermal	A 3.0 mil dull silver pearlescent strength film permanently laminated to a 5.0 mil direct thermal paper stock. This item is commonly used as a strip label or wineglass shaped label for bagged fruits and vegetables.	39.00"	5000'
<b>Fruit &amp; Vegetable Tag Offset</b>	FruitTac-Offset	Same description as above but laminated to a 70# offset paper.	39.00"	5000'
<b>Fabrene™ Tag</b>	Fabrene Tag	A highly durable woven film produced by Fabrene Inc. laminated to either an 8 point or 10 point SBS board.	50 .00"	3000'

### Mounting Tapes

<b>Double Sided Clear Tape</b>	DS22180DC2S-GP450/GP450	A double-sided tape using a 1.0 clear PET carrier. Both adhesives are a GP-450 general purpose acrylic adhesive and is found on a 80# C2S release liner. This item is also available as a custom item with a differential adhesive coated per side.	27.00"/39.00"/54.00"/60.00"	150'/300'/500'/750'
<b>Double Sided White Tape</b>	DS12280DC2S-GP450/GP450	Same description as above but using a 2.0 mil White PET carrier. This item is also available as a differential adhesive product.	54.00"	150'/300'/500'/750'
<b>Double Sided Clear Tape Permanent/Removable</b>	DS22180DC2S-GP450/LTV 3610	Commonly used in the graphic arts industry and for wide web laminations, this tape features a GP-450 permanent acrylic adhesive on one side of the tape and an LTV 3610 removable adhesive on the other side. It is available on both or 80# C2S release liner or a more economical 50# C2S release liner.	54.00"	150'/300'/500'/750'

# Multi-Tac Inc.

Pressure Sensitive Label Guide

[www.multi-tac.com](http://www.multi-tac.com)

ITEM	ITEM CODE	DESCRIPTION	WEB WIDTH	ROLL LENGTH
------	-----------	-------------	-----------	-------------

## Mounting Tapes *cont'*

<b>Double Sided White Tape Permanent/ Removable</b>	DS12280DC2S- GP450/LTV 3610	Same description as above but using a 2.0 mil white PET carrier.	54.00"	150'/300'/ 500'/750'
<b>Double Sided Clear Tape MultiValue</b>	DS220550DC2S- GP450/GP450	A cost effective mounting tape. This double-sided permanent adhesive tape is on a 5.0 mil Clear PET carrier and a 50# C2S release liner.	54.00"	150'/300'/ 500'/750'
<b>Transfer Tape</b>	TransTape	An unsupported general purpose acrylic adhesive wound onto itself. This item is available between two release liners or selfwound onto to C2S liner.	Custom	Custom